

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD**

**CENTRAL COAST REGION**

895 Aerovista Place, Suite 101  
San Luis Obispo, California 93401

**NOTICE OF PUBLIC HEARING – PUBLIC NOTICE  
REISSUANCE OF WASTE DISCHARGE REQUIREMENTS ORDER NO. R3-2019-0002  
National Pollutant Discharge Elimination System Permit No. CA0048003**

**FOR SOUTH SAN LUIS OBISPO COUNTY SANITATION DISTRICT WASTEWATER  
TREATMENT FACILITY, SAN LUIS OBISPO COUNTY**

The California Regional Water Quality Control Board, Central Coast Region (Central Coast Water Board) proposes to authorize discharge of secondary-treated municipal wastewater from the South San Luis Obispo County Sanitation District Wastewater Treatment Facility by reissuance of waste discharge requirements. South San Luis Obispo Sanitation District (Discharger) discharges treated effluent to the Pacific Ocean.

The Central Coast Water Board will hold a public hearing to consider the issuance of the proposed waste discharge requirements on **January 31-February 1, 2019**, at the:

Santa Barbara County Offices  
Supervisor's Hearing Room, 4<sup>th</sup> floor  
104 East Anapamu Street  
Santa Barbara, CA 93101

Interested persons are invited to submit comments in writing to the Central Coast Water Board by email at [centralcoast@waterboards.ca.gov](mailto:centralcoast@waterboards.ca.gov) or to the San Luis Obispo address above no later than 5:00 p.m., **November 30, 2018**. All comments received prior to that date will be considered in the formulation of staff recommendations regarding the waste discharge. The Central Coast Water Board will not accept written comments or other written submittals on the draft Order after November 30, 2018, unless the Chair of the Central Coast Water Board rules that exclusion would create a hardship and that the late submission will not prejudice any party or the Central Coast Water Board. Any person submitting late comments or other submittals must explain why such materials were not submitted by November 30, 2018. The Chair of the Central Coast Water Board will rule on late submittals at or before the hearing. Late submittals that consist of evidence (as opposed to policy statements or comments) are generally prejudicial unless all parties and Central Coast Water Board staff have time to consider the evidence before the hearing.

Interested persons are invited to attend the hearing and may make oral comments relevant to the proposed action. Oral comments should summarize written comments. The Chair of the Central Coast Water Board will impose time limits on oral comments.

The Report of Waste Discharge, Fact Sheet, related documents, and all comments received may be inspected and copied at the office of the Central Coast Water Board, 895 Aerovista Place, Suite 101, San Luis Obispo, CA 93401-5427, on weekdays between the hours of 8:00 a.m. and 5:00 p.m. Please direct comments and questions to **Katie DiSimone at (805) 542-4638** (or [katie.disimone@waterboards.ca.gov](mailto:katie.disimone@waterboards.ca.gov)) or Phil Hammer at (805) 549-3882 (or [phillip.hammer@waterboards.ca.gov](mailto:phillip.hammer@waterboards.ca.gov)) at this office. Please bring the foregoing to the attention of any persons known to you who would be interested in this matter.